



eVelo

eGiro DS NEO+	FULLY	155-168cm	41	579	75°	67.7°	135	477	1174	40	65-80
		167-177cm	44.5	606	75°	67.7°	140	477	1199	40	65-80
		176-186cm	47	625	75°	67.7°	140	477	1218	40	65-80

eGiro NEO GT / NEO+	GTS	170 - 179cm	50	610	74°	69.5°	165	481	1166	65	55-75
		178 - 186cm	54	625	74°	69.5°	165	481	1181	65	55-75
		185 - 195cm	58	640	74°	69.5°	170	481	1196	65	55-75

eGiro NEO GT / NEO+	GOR	160 - 171cm	47	609	74°	69.5°	170	481	1165	65	55-75
		170 - 179cm	50	621	74°	69.5°	170	481	1177	65	55-75
		178 - 187cm	54	629	74°	69.5°	170	481	1185	65	55-75

eEterna AIR	GTS	162 - 172cm	48	594	73°	68°	160	459.5	1134	65	65-90
		171 - 181cm	52	611	73°	68°	160	459.5	1151	65	65-90
		180 - 190cm	56	628	73°	68°	170	459.5	1169	65	65-90

eEterna AIR	GOR	160 - 171cm	46	587	73°	68°	160	459.5	1127	65	65-90
		170 - 179cm	50	601	73°	68°	160	459.5	1141	65	65-90
		178 - 187cm	54	618	73°	68°	170	459.5	1159	65	65-90

eEterna AIR	PARA	160 - 172cm	46	597	73°	68°	160	459.5	1137	65	65-90
		171 - 182cm	50	616	73°	68°	180	459.5	1159	65	65-90

eViva NEO GT DS	MONO FULLY	160 - 176cm	42	590	75°	68°	165	470	1178	38	35-65
		175 - 185cm	46	600	75°	68°	165	470	1188	38	35-65

eViva NEO GT	MONO	160 - 176cm	46	590	75°	68°	175	482	1182	60	65-80
		175 - 186cm	50	600	75°	68°	175	482	1187	60	65-80

eViva NEO+	MONO	160 - 175cm	46	612	73°	69°	155	482	1165	60	65-80
		176 - 188cm	50	617	73°	69°	155	482	1170	60	65-80

eViva NEO+ X	MONO	160 - 175cm	46	612	73°	69°	155	482	1165	60	75
		176 - 188cm	50	617	73°	69°	155	482	1170	60	75

CRESTA
SEIT 1898



Modell	Kategorie	Körpergröße	Sitzrohr Länge in cm	Oberrohr horizontal	Sitzwinkel	Steuerwinkel	Steuerrohr Länge	Kettenstreben Länge*	Radstand	Tretlager Absenkung	Vorbau Länge
eRoadster NEO+	GTS	160 - 171cm	41	599	74°	67°	130	465	1185	46	50
		170 - 180cm	44	629	74°	67°	130	465	1214	46	50
		179 - 189cm	47	661	74°	67°	140	465	1248	46	50
eUrban Neo	GTS	155 - 169cm	45	605	73°	69°	145	487	1185	60	65 - 80
		170 - 183cm	50	625	73°	69°	155	487	1214	60	65 - 80
eLargo	GTS	160 - 172cm	46	550	74°	69°	140	440	1063	65	65-90
		171 - 180cm	50	581	74°	69°	160	440	1095	65	65-90
		179 - 188cm	54	601	74°	69°	180	440	1118	65	65-90
eLargo	PARA	160 - 172cm	45	556	74°	69°	160	440	1071	65	65-90
		171 - 180cm	48	581	74°	69°	180	440	1068	65	65-90
eFiore AIR	GOR	160 - 171cm	46	587	73°	68°	160	459.5	1127	65	90
		170 - 179cm	50	601	73°	68°	160	459.5	1141	65	90
		178 - 187cm	54	618	73°	68°	170	459.5	1159	65	90
eFiore AIR	PARA	160 - 172cm	46	597	73°	68°	160	459.5	1137	65	90
		171 - 182cm	50	616	73°	68°	180	459.5	1159	65	90



Velo

			Sitzrohr Länge in cm	Oberrohr horizontal	Sitzwinkel	Steuerwinkel	Steuerrohr Länge	Kettenstreben Länge*	Radstand	Tretlager Absenkung	Vorbau Länge
Sirius	GTS	171 - 179cm	48	570	73°	70°	145	470	1083	70	80
		180 - 187cm	53	585	73°	70°	165	470	1099	70	80
		188 - 195cm	58	610	73°	70°	185	470	1125	70	80
Sirius	GOR	158 - 168cm	46	565	73°	70°	130	460	1077	60	80
		169 - 178cm	50	575	73°	70°	150	460	1089	60	80
Veloce	GTS	168 - 174cm	48	560	73°	70°	110	450	1061	60	90
		175 - 182cm	52	575	73°	70°	130	450	1078	60	90
		183 - 190cm	56	595	73°	70°	160	450	1099	60	100
		191 - 196cm	60	610	73°	70°	190	450	1116	60	100
Veloce	GOR	158 - 168cm	46	565	73°	70°	130	450	1067	60	90
		169 - 178cm	50	575	73°	70°	150	450	1079	60	90
		179 - 186cm	54	585	73°	70°	180	450	1090	60	90
Veloce	MIXTE	158 - 168cm	46	565	73°	70°	150	450	1068	60	90
		169 - 178cm	50	575	73°	70°	170	450	1079	60	90
		179 - 186cm	54	585	73°	70°	180	450	1090	60	90



empfohlene
Körpergrösse



			Sitzrohr Länge in cm	Oberrohr horizontal	Sitzwinkel	Steuerwinkel	Steuerrohr Länge	Kettenstreben Länge*	Radstand	Tretlager Absenkung	Vorbau Länge
Sfera	GTS	168 - 174cm	48	560	73°	70°	110	450	1061	60	90
		175 - 182cm	52	575	73°	70°	130	450	1078	60	90
		183 - 190cm	56	595	73°	70°	160	450	1099	60	100
		191 - 196cm	60	610	73°	70°	190	450	1116	60	100
Sfera	GOR	158 - 168cm	46	565	73°	70°	130	450	1067	60	90
		169 - 178cm	50	575	73°	70°	150	450	1079	60	90
		179 - 186cm	54	585	73°	70°	180	450	1090	60	90
Sfera	MIXTE	158 - 168cm	46	565	73°	70°	150	450	1061	60	90
		169 - 178cm	50	575	73°	70°	170	450	1079	60	90
		179 - 186cm	54	585	73°	70°	180	450	1090	60	90
Largo	GTS	168 - 174cm	48	560	73°	70°	110	460	1061	60	90
		175 - 182cm	52	575	73°	70°	130	460	1078	60	90
		183 - 190cm	56	595	73°	70°	160	460	1099	60	110
Largo	MIXTE	158 - 168cm	46	565	73°	70°	130	450	1067	60	90
		169 - 178cm	50	575	73°	70°	150	450	1079	60	90
Largo Alto	GTS	168 - 174cm	48	565	73°	70°	150	460	1061	60	90
		175 - 182cm	52	575	73°	70°	130	460	1079	60	90
		183 - 190cm	56	595	0	0	160	460	1099	0	90
Largo Alto	MIXTE	158 - 168cm	46	565	73°	70°	150	460	1069	60	90
		169 - 178cm	50	575	73°	70°	170	460	1078	60	90

CRESTA
SEIT 1898



empfohlene
Körpergröße



		empfohlene Körpergröße	Sitzrohr Länge in cm	Oberrohr horizontal	Sitzwinkel	Steuerwinkel	Steuerrohr Länge	Kettenstreben Länge*	Radstand	Tretlager Absenkung	Vorbau Länge
Boulevard	SWAN	160 - 169cm	46	585	71°	70°	145	460	1109	65	90
		170 - 179cm	50	595	71°	70°	165	460	1098	65	90
Arena Vita	PARA	151 - 160cm	44	575	73°	71°	140	450	1060	70	90
		161 - 171cm	48	583	73°	71°	140	450	1068	70	90
		172 - 182cm	53	589	73°	71°	160	450	1075	70	90